SAFETY DATA SHEET

Ryanfire FS Collar



Section 1. Identification of the material and the supplier

Product: Ryanfire FS Collar

Product Use: The FS Collars are designed to maintain the fire resistance

of fire rated walls for up to 120 minutes.

Restriction of Use: Refer to Section 15

New Zealand Supplier: RYANFIRE Products

Address: 11 Ashfield Road

Wairau Valley Auckland, 0627

Telephone: +64 9 443 0362

Emergency No: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 9 August 2024 v1.1

Section 2. Hazards Identification

This substance is not hazardous according to the EPA Hazardous Substances (Classification) Notice 2020. This product is considered a Manufactured Article.

Section 3. Composition / Information on Hazardous Ingredients

Ryanfire FS collars consist of a high-quality stainless-steel case lined with a highly reactive graphite infused material. The FS Collars are designed to maintain the fire resistance of fire rated walls for up to 120 minutes. Upon exposure to heat the FS collar will quickly and effectively close any openings that may form due to the melting away of services.

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Not considered a route of exposure.

If on Skin Wash with plenty of soap and water.

If Swallowed Not considered a route of exposure.

If Inhaled Not considered a route of exposure.

Most important symptoms and effects, both acute and delayed

Symptoms: None known.

Section 5. Fire Fighting Measures

Hazard Type	Non-Flammable/Non-Combustible
Hazards from combustion products	None known
Suitable Extinguishing media	Use media suitable for surrounding materials
Precautions for firefighters and	No special precautions or clothing needed beyond fire BA

Product Name: Ryanfire FS Collar SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 9 August 2024 Tel: 64 9 475 5240 www.techcomp.co.nz

special protective clothing	
HAZCHEM CODE	None Allocated

Section 6. Accidental Release Measures

Sweep up and reuse if possible. If not, dispose of according to Local Regulations.

Section 7. Handling and Storage

Precautions for Handling/Installation and Storage:

- Position FS Collar hard up against the surface of the fixing substrate, secure mild steel fixings through each leg of the collar to a minimum embedment of 25mm.
- Ryanfire recommend that all fire stopping products should be installed by a third party
 accredited fire stopping contractor. Full application details and methodology instructions
 should be requested before installation of this product commences.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits.

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices Nov 2023 14TH EDITION.

Engineering Controls

No special requirement.

Personal Protection Equipment

Eyes	Not required.
Skin	Not required, but always good practice to wear protective gloves.
Respiratory	Not required.

Section 9 Physical and Chemical Properties

Appearance	Solid 40mm – 160mm	
Colour	Not available	
Odour	Not available	
Odour Threshold	Not available	
рН	Not available	
Boiling Point	Not available	
Melting Point	Not available	
Freezing Point	Not available	
Flash Point	Not available	
Flammability	Not available	
Upper and Lower	Not available	
Explosive Limits		
Vapour Pressure	Not available	
Vapour Density	Not available	
Density	Not available	
Water Solubility	Not available	

Product Name: Ryanfire FS Collar SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 9 August 2024 Tel: 64 9 475 5240 www.techcomp.co.nz

Partition Coefficient:	Not available	
Auto-ignition	Not available	
Temperature		
Decomposition	Not available	
Temperature		
Kinematic Viscosity	Not available	
Particle Characteristics	Not available	
Fire Testing	Tested to: AS1530.4-2005 2014) / AS 4072.1-2005	

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous	Not available
reactions	
Conditions to Avoid	Not available
Incompatible Materials	Not available
Hazardous Decomposition	Not available
Products	

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Not applicable.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12. Ecotoxicological Information

This product is not hazardous to the environment.

Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Section 13. Disposal Considerations

Disposal Method: Dispose of according to Local regulations

Precautions or methods to avoid: None known.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2020.

Product Name: Ryanfire FS Collar
Date of SDS: 9 August 2024

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Www.techcomp.co.nz

Section 15 Regulatory Information

This substance is not hazardous according to the EPA Hazardous Substances (Classification) Notice 2020. This product is considered a Manufactured Article.

Section 16 Other Information

Glossary

Cat Category

EC₅₀ Median effective concentration. EEL Environmental Exposure Limit. EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

2. Workplace Exposure Standards and Biological Exposure Indices Nov 2023 14th edition.

3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).

4. Transport of Dangerous goods on land NZS 5433:2020

5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 9 August 2024 Review Date: 9 August 2029

Product Name: Ryanfire FS Collar SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 9 August 2024 Tel: 64 9 475 5240 www.techcomp.co.nz